E-POWER VARIABLE SPEED PUMP

Emaux E-Power Variable Speed Pump reduces the energy usage of your pool and spa, waterfalls or fountains. The saving is due to higher efficiency, provides saving from over-usage and lower equipment maintenance cost.

Traditional single speed pump runs at maximum load continuously, inefficient and high running cost compared to the Emaux EPV range. Reduced speed provides slower water circulation rates puts less strain on the complete installation such as filter, sanitization and plumbing. It reduces the wear and tear factor ending in saving to the home owner.

Energy Saving

Most of energy saving comes from the ability to program the pump and reach the ideal flow rate by scheduling the E-Power Variable Speed Pump. Power consumption reduces as pump speed and water flow reduces. Reducing the speed of your pump by half, the flow rate also drops to half, but the power consumption of the pump is reduced 85%.

Model: EPV150

| Flow (LPM) | Efficiency (Liter/Watt) | Flow (GPM) | Efficiency (Gallon/Watt) | Power (Watt) |
|---------------|-----------------------------------|---|--|---|
| 101 | 121 | 27 | 32 | 50 |
| 207 | 95 | 55 | 25 | 130 |
| 368 | 44 | 97 | 12 | 505 |
| 417 | 29 | 110 | 8 | 850 |
| 509 | 26 | 135 | 7 | 1190 |
| | (LPM) 101 207 368 417 | (LPM) (Liter/Watt) 101 121 207 95 368 44 417 29 | (LPM) (Liter/Watt) (GPM) 101 121 27 207 95 55 368 44 97 417 29 110 | (LPM) (Liter/Watt) (GPM) (Gallon/Watt) 101 121 27 32 207 95 55 25 368 44 97 12 417 29 110 8 |











Highlight Features:

- · Permanent Magnet Motor (PMM)
- · Totally Enclosed Fan Cooled (TEFC)
- · 5L Strainer Basket
- ·S.S.316 Shaft
- ·S.S. 316 Mechanical Seal
- · 2"/2.5" Union Connection
- · IPX5 Waterproof Standard

Product Information & Dimension

| Code 220V-240V 50/60Hz | Model No | Connection Size | Input Power (Max.) | Horsepower | Weight(kg) |
|------------------------------|-------------|----------------------------------|-----------------------|------------|------------|
| 88021107 | EPV150 | 2 inch / 2.5 inch 63mm / 75mm | 1.50kW | 1.5hp | 23 |
| 88021108 | EPV200 | | 1.80kW | 2.0hp | 24 |
| 88021109 | EPV300 | | 2.20kW | 3.0hp | 25 |



E-POWER VARIABLE SPEED PUMP

Noise Level

With the advanced hydraulic design, water moves much more efficiently and the operation is whisper quiet with the E-Power Variable Speed Pump operating at lower speeds. The Permanent Magnet Motor technology eliminates excessive motor noise; E-Power Variable Speed Pump brings you to another level of satisfaction.


Application & Installation

Emaux E-Power Variable Speed Pump maximizes the efficiency of your pool filtration system with the aid of the one touch controller. The presettable direct speed controller enables the homeowner to manage their usage with a press of a single button to schedule their water system with piece of mind. Crystal clear quality pool water is provided with Emaux E-Power Variable Speed Pumps.



E-POWER VARIABLE SPEED PUMP

Technical Information



4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 Q(m³/n)

50 100 150 200 250 300 350 400 450 500 550 600



4

2